

Designed for possibilities. Made for people.



Items for a complete wall installation with Altro Whiterock wall cladding products.

🗞 800 377 5597 USA / 800 565 4658 CAN

support@altrofloors.com




1-Part start and edge trim 8'2" G833/25/* add color code 9'10" G833/30/* add color code Covers the edge of the sheet and gives a secure, finished edge.



2-Part start and edge trim

8'2" A833/25/* add color code 9'10" A833/30/* add color code 2-part transition pieced used to finish a raw edge of Altro Whiterock i.e. top edge of wainscoting.



2-Part start and edge trim 8'2" A833/25/* add color code 9'10" A833/30/* add color code Metallic visual 2-part transition pieced used to finish a raw edge of Altro Whiterock wall designs i.e. top edge of wainscoting.



1-Part joint strip 8'2" G831/25/* add color code 9'10" G831/30/* add color code Vertical joint strip used to join adjacent sheets includes neoprene seal to make the joint watertight.




2-Part joint strip

8'2" A831/25/* add color code 9'10" A831/30/* add color code Joins two wall panels together to create a smooth finish in areas where heat welding isn't viable.



2-Part joint strip

8'2" A831/25/* add color code 9'10" A831/30/* add color code Metallic visual strip joins two Altro Whiterock wall designs panels to create a smooth finish in areas where heat welding isn't viable.



1-Part concealed transition strip 8'2" G835/25

Used as a leveling strip between two surfaces so that one can overlap the other.



2-Part cut tile transition strip A832/25/* add color code Used as a transition piece between Altro Whiterock and flashed coved flooring.



Sanitary sealant White - A802 Clear - A803 Color - A805/* add color code For creating a hygienically-sealed edge.



AltroFix W39 2-part adhesive W39

For adhering Altro Whiterock on both porous and non-porous substrates, in wet and high humidity environments and when heat welding is specified.



Double-sided foam tape

1" A815/116 2" A815/216

1/16" thick foam mounting tape used for installing Altro Whiterock when heat welding seams.



Weldrod WSR* add color code PVC welding rod for use with Altro sheet vinyl wall cladding.



W165 Tape adhesion promoter W165

Ensures tape adheres properly to substrate.



Double-sided foam tape

1" A815/132 2" A815/232

" A815/232

1/32" thick foam mounting tape used for installing Altro Whiterock when heat welding seams.



FlexiJoint strip FJ01/3MH FJ* add color code for coil Unobstrusive, almost-invisib

Unobstrusive, almost-invisible joints for installing Altro Whiterock panels. Available in white strips and custom coils.




AltroFix W157 acrylic adhesive W157

For adhering Altro Whiterock on porous substrates and dry applications only.



Double-sided butyl tape A815/30 For installing Altro Whiterock panels while using joint strips.



Heat weld backer WSBU200

Vinyl shim backer for creating a solid and smooth transition between floors and walls when heat welding this seam.




C8 Cap tile strip

Rigid "h" shaped vinyl transition cap w/8mm shelf to be used between flash coved sheet flooring and Altro Whiterock



Stainless steel corner protector

4' A861/12 8' A861/13 Protects external corners in high traffic areas.



C4 Cap tile strip

Pliable "h" shaped vinyl transition cap w/4mm shelf to be used between flash coved sheet flooring and Altro Whiterock.



Shower Recessed Shelf

A factory formed hygienic insert that can be welded directly to panels, offering a water-tight, rust-proof shelf for your shower toiletries.



FlexiJoint steel spacers FJS/3.4

Used for setting the gap between panels accurately when using Flexijoint strips.



1-Part stainless steel joint strip A855

Joins two stainless steel wall panels together to create a smooth finish in areas where stainless steel is required.

Specialty items

Altro offers a variety of specialty items for your installation needs. These include Altro Whiterock Whiteboard, Altro Whiterock Imagination Wall, Altro Whiterock Digiclad panels and any accompanying accessories necessary for the installation of these products.

Please reach out to your Altro representative if you are interested in any of these products.